



# HIGH TENSION WILDLIFE FENCE

(For Agriculture & Horticulture)

GOOD FENCES MAKE GOOD NEIGHBOURS



Wildlife & Forestry Services  
C13/21, Mahakal Vanijya Kendra

Ujjain 456010

9425916822, 9644080679

[mail@wfsindia.co.in](mailto:mail@wfsindia.co.in)

[wildforestindia@gmail.com](mailto:wildforestindia@gmail.com)

# **HINGE JOINT FENCE**

## **ANATOMY & SPECIFICATIONS**

### **HJ-13-175-15 (5.75 Feet)**

**HJ:** Hinge joint fence

**13:** 13 Number of horizontal wires

**175:** 175cm Height of Fence (1.75 meters)

**15:** 15 cm distance between two vertical wires (stay wires)

### **Spacing between horizontal lines from bottom to top**

**Spacing:** 3.50: 3.50: 3.50: 4.00: 4.50: 5.00: 5.50: 5.50: 6.00: 7.00: 8.00: 9.00: 9.50

(Total 69" Inches)

**Edge Wire** (Horizontal Wire): Diameter 2.50 mm +/- 0.08 mm

Strength of wire: 750 to 900 Mpa (Megapascal units of strength)

Coating: Minimum 110 Gsm. (Gram per meter square) Bezinal 2000 Class W10.  
(Bezinal 2000 coating is Aluminium Zinc coating)

**Line Wire** (Horizontal Wire): Diameter 2.50 mm +/- 0.08 mm

Strength of wire: 750 to 900 Mpa (Megapascal units of strength)

Coating: Minimum 110 Gsm. (Gram per meter square) Bezinal 2000. (Bezinal 2000 coating is Aluminium Zinc coating)

**Stay Wire** (Verticle Wire): Diameter 2.50 mm +/- 0.08 mm

Strength of wire: 450 to 550 Mpa (Megapascal units of strength)

Coating: Minimum 110 Gsm. (Gram per meter square) Bezinal 2000 Class W10.  
(Bezinal 2000 coating is Aluminium Zinc coating)

**Coil Weight:** Approximate 114 kgs

**Main Post** : Hot dipped galvanised (60x3x2750 MM with PVC cap) placed at a distance of 97 meters, grouted with concrete.

**Support Post** : Hot dipped galvanised (33x3x2750 MM with brace band 60 mm, Hex nut M8x25MM), 2 per main post and 1 per corner post, grouted with concrete.

**Intermediate Post**: Hot dipped galvanised T angle (25x25x2750 MM) placed at a distance of every 6 meters excluding main posts and corner posts.

**Extension**: Scope for extending the height of the fence by 1.25 feet by adding extra fabric or wires at the top.

**Cost**: Kindly call for enquiries

**Includes**: Complete material and installation

**Excludes**: Fence line clearing

**Payment Terms**: 100% advance against purchase order